JEFFERSON COUNTY: Key Data Points

- Jefferson county has a slightly lower total birth rate than the state of Indiana overall, 11.9 versus 13.9 respectively
- The county witnessed 3 infant deaths in 2003
- The percentage of mothers who smoked during pregnancy is significantly higher in Jasper county than the state as a whole, 31% versus 18.5% respectively
- A lower percentage of mothers are breastfeeding in the county compared to the state (52.9% versus 63.2%, respectively)
- Jefferson county observed 10 accidental deaths (3 of which were motor vehicle), and 1 homicide

Note: All figures relate to 2003 data from the Indiana State Department of Health, unless otherwise specified

Figure 1. Births

	To	tal	Wh	iite	Bla	ıck	Oth	ner
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Jefferson County	365	11.3	357	11.5	5	10.2(U)	3	5(U)
INDIANA	86,382	13.9	75,422	13.7	9,288	17.5	1,672	10.6

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2. Mortality

			NUI	MBER			RATE*	
	REPORTED		Infant Deaths	Neonatal Deaths	Post Neonatal	Infant Deaths	Neonatal Deaths	Post Neonatal
COUNTY OF RESIDENCE	RACE/ ETHNICITY	Live Births	(< 1 yr)	(< 28 days)	Deaths (28-364 days)	(< 1 yr)	(< 28 days)	Deaths (28-364 days)
JEFFERSON	All Races	365	3	3	0	**	**	0
	White	357	3	3	0	**	**	0
	Black	5	0	0	0	0	0	0
	Other	3	0	0	0	0	0	0
	Hispanic	9	0	0	0	0	0	0
INDIANA	All Races	86,382	641	417	224	7.4	4.8	2.6
	White	75,422	479	309	170	6.4	4.1	2.3
	Black	9,288	148	98	50	15.9	10.6	5.4
	Other	1,672	14	10	4	**	**	**
	Hispanic	6,763	38	22	16	5.6	3.3	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3. Outcome Indicators of Mother, by Race


	8							
E		Birth V	Veight			During Pregnancy		
		% Low	% Very Low		% PNC 1st			%
JEFFERSON	Total	(< 2500	(< 1500	%		%	%	Unmarried
COUNTY	Births	grams)	grams)	Preterm †	Trimester ‡	Alcohol	Smoked	Parents
All Races	365	6.8	0.8	7.9	86.6	0	31(S)	34.8
White	357	7	0.8	7.8	87.1	0	30.8(S)	34.7
Black	5	**	**	**	**	**	**	**


Birth Weight		During Pregnancy						
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester ‡	Alcohol	Smoked	Parents
All Races	86,382	7.9	1.4	9.9	80.6	0.6	18.5	37.1
White	75,422	7.2	1.2	9.5	82.1	0.6	19.1	32.6
Black	9,288	13.3	3.3	13.3	68.2	1.1	15.2	76.3


[†] Preterm: less than 37 weeks gestation

Figure 4. Breastfeeding

JEFFERSON COUNTY	All Races	White	Black
Total Births	365	357	5
Breastfeeding on Discharge	193	190	1
% Breastfeeding on Discharge	52.9	53.2	20







[‡] PNC: Prenatal Care 'S' Significantly different than the state percent

^{&#}x27;**' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5. HIV/AIDS

	Total # of AIDS cases reported since 1982	Total # of HIV cases reported since 1985
JEFFERSON	17	10
COUNTY		
INDIANA	7,641	3,856

^{*}data gathered from June 2005 HIV/STD Quarterly Report

Figure 6. Nutritional Risk Factors by Status,

At Risk for becoming

Overweight

2,023

485

639

11

124

3,282

5.1%

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agency: Jefferson County Health Department							
Counties Included: Jefferson							
	Children 1-5 years of Age						%
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency
Overweight	19	0	1	0	1	21	6.0%
At Risk for becoming Overweight	14	0	0	0	4	18	5.1%
Local Agency: State Wide							
Counties Included: All							
	Childr	Children 1-5 years of Age					%
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency
Overweight	1,732	445	800	12	97	3,086	4.8%

Priority Issues (Jefferson & India	ana)	
Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Jefferson	Indiana
2 % of Population enrolled in Medicaid as of June 2003	13.2	12.4
3 % of Population in Food Stamps Program, 2004	7.5	8.6
Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Jefferson	Indiana
1 Av Total Infant Death Rate (1993-2002)	6.8	8.1
2 Average Fetal Death Rate (1994-2003)	5.0	6.7
Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Jefferson	Indiana
Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	No Score	NA
2 % PNC 1st Trimester†, 2003	86.6	80.6
Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Jefferson	Indiana
Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	15.2	10.4
2 %Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2004-2005	NA	2.1
Priority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Jefferson	Indiana
1 % of mothers Smoked During Pregnancy, 2003	31.0	18.5
2 % of Adult Smoking in 2003	32.1	29.3
Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Jefferson	Indiana
Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2001-2003)	6	748
2 Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	838.49	1541.49
Priority #8 (obesity): Obesity in pregnant women	Jefferson	Indiana
Number of Obese Pregnant Women In Indiana, 2003	9	2,496
Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Jefferson	Indiana
1 Child deaths due to Injury 1-14yrs (2001-2003)	2	257
2 Child Abuse and Neglect per 1,000 Population under age 18, 2004	15.9	13.5
Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Jefferson	Indiana
Katio		
1 % of Hispanic Population of any Race, July,1,2004	1.1	4.3

Source: Data Analysis Team, ISDH. **Notes:** 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each county.

Note: The following priority has been identified for Jefferson County:

• **Priority # 5:** To decrease tobacco use in Indiana.